


TILE + STONE
SOURCE

MAYFAIR
HD PORCELAIN TILE



12x24 MAYFAIR SUAVE BIANCO HD PORCELAIN TILE

MAYFAIR STRADA ASH
POLISHED + MATTE
HD PORCELAIN TILE



12x24 MAYFAIR STRADA ASH
HD PORCELAIN TILE

MAYFAIR STRADA ASH
POLISHED + MATTE
HD PORCELAIN TILE



24x48 MAYFAIR STRADA ASH
HD PORCELAIN TILE
323-69-919(P)



3x12 MAYFAIR STRADA ASH BULLNOSE
HD PORCELAIN TILE
323-69-948(P) 323-69-957(M)



3x24 MAYFAIR STRADA ASH BULLNOSE
HD PORCELAIN TILE
323-69-975(P) 323-69-978(M)



16x32 MAYFAIR STRADA ASH
HD PORCELAIN TILE
323-65-516(P) 323-65-519(M)



12x24 MAYFAIR STRADA ASH
HD PORCELAIN TILE
323-69-945(P) 323-69-954(M)



2x2 MAYFAIR STRADA ASH BASKETWEAVE MOSAIC
HD PORCELAIN TILE
323-69-951(P) 323-69-960(M)



12x12 MAYFAIR STRADA ASH PIAZZA MOSAIC
HD PORCELAIN TILE
323-69-972(P)



1.25x1.25 MAYFAIR STRADA ASH HEXAGON MOSAIC
HD PORCELAIN TILE
323-69-963(P)



4x12 MAYFAIR STRADA ASH
HD PORCELAIN TILE
323-60-506(P)

MAYFAIR ZEBRINO
POLISHED + MATTE
HD PORCELAIN TILE



12x24 MAYFAIR ZEBRINO
HD PORCELAIN TILE

MAYFAIR ZEBRINO
POLISHED + MATTE
HD PORCELAIN TILE



24x48 MAYFAIR ZEBRINO
HD PORCELAIN TILE
323-69-920(P)



3x12 MAYFAIR ZEBRINO BULLNOSE
HD PORCELAIN TILE
323-69-949(P) 323-69-958(M)



3x24 MAYFAIR ZEBRINO BULLNOSE
HD PORCELAIN TILE
323-69-976(P) 323-69-979(M)



16x32 MAYFAIR ZEBRINO
HD PORCELAIN TILE
323-65-517(P) 323-65-520(M)



12x24 MAYFAIR ZEBRINO
HD PORCELAIN TILE
323-69-946(P) 323-69-955(M)



2x2 MAYFAIR ZEBRINO BASKETWEAVE MOSAIC
HD PORCELAIN TILE
323-69-952(P) 323-69-961(M)



12x12 MAYFAIR ZEBRINO PIAZZA MOSAIC
HD PORCELAIN TILE
323-69-973(P)



1.25x1.25 MAYFAIR ZEBRINO HEXAGON MOSAIC
HD PORCELAIN TILE
323-69-964(P)



4x12 MAYFAIR ZEBRINO
HD PORCELAIN TILE
323-60-507(P)

MAYFAIR SUAVE BIANCO
POLISHED + MATTE
HD PORCELAIN TILE



12x24 MAYFAIR SUAVE BIANCO
HD PORCELAIN TILE

MAYFAIR SUAVE BIANCO

POLISHED + MATTE
HD PORCELAIN TILE



24x48 MAYFAIR SUAVE BIANCO
HD PORCELAIN TILE
323-69-921(P)



3x12 MAYFAIR SUAVE BIANCO BULLNOSE
HD PORCELAIN TILE
323-69-950(P) 323-69-959(M)



3x24 MAYFAIR SUAVE BIANCO BULLNOSE
HD PORCELAIN TILE
323-69-977(P) 323-69-980(M)



16x32 MAYFAIR SUAVE BIANCO
HD PORCELAIN TILE
323-65-518(P) 323-65-521(M)



12x24 MAYFAIR SUAVE BIANCO
HD PORCELAIN TILE
323-69-947(P) 323-69-956(M)



2x2 MAYFAIR SUAVE BIANCO BASKETWEAVE MOSAIC
HD PORCELAIN TILE
323-69-953(P) 323-69-962(M)



12x12 MAYFAIR SUAVE BIANCO PIAZZA MOSAIC
HD PORCELAIN TILE
323-69-974(P)



1.25x1.25 MAYFAIR SUAVE BIANCO HEXAGON MOSAIC
HD PORCELAIN TILE
323-69-965(P)



4x12 MAYFAIR SUAVE BIANCO
HD PORCELAIN TILE
323-60-508(P)

MAYFAIR ADDITIONAL MOSAICS
POLISHED + MATTE
HD PORCELAIN TILE



1.25X1.25 MAYFAIR STATUARIO VENATO HEXAGON MOSAIC
HD PORCELAIN TILE


MAYFAIR ADDITIONAL MOSAICS
POLISHED + MATTE
HD PORCELAIN TILE



1.25x1.25 MAYFAIR CALACATTA ORO HEXAGON MOSAIC
HD PORCELAIN TILE
323-69-922(P)



2x2 MAYFAIR CALACATTA ORO BASKETWEAVE MOSAIC
HD PORCELAIN TILE
323-69-357(M)



1.25x1.25 MAYFAIRSTATUARIO VENATO HEXAGON MOSAIC
HD PORCELAIN TILE
323-69-923(P)



2x2 MAYFAIRSTATUARIO VENATO BASKETWEAVE MOSAIC
HD PORCELAIN TILE
323-69-358(M)



1.25x1.25 MAYFAIR VOLAKAS GRIGIO HEXAGON MOSAIC
HD PORCELAIN TILE
323-69-924(P)



2x2 MAYFAIR VOLAKAS GRIGIO BASKETWEAVE MOSAIC
HD PORCELAIN TILE
323-69-358(M)

Packaging Information

DESCRIPTION	ITEM CODE		LBS/BOX	PCS/BOX	SQFT/BOX	PCS/SKID	SQFT/SKID
	POL	MATTE					
24"x48" MAYFAIR STRADA ASH	323-69-919	n/a	95.374	2	15.5	48	372
16"x32" MAYFAIR STRADA ASH	323-65-516	323-65-519	71.444	4	13.78	152	523.64
12"x24" MAYFAIR STRADA ASH	323-69-945	323-69-954	70.28	8	15.5	224	434
3"x24" MAYFAIR STRADA ASH BULLNOSE	323-69-975	323-69-978	33.15	15	n/a	840	n/a
4"x12" MAYFAIR STRADA ASH	323-60-506	n/a	43.59	30	9.684	1350	435.78
3"x12" MAYFAIR STRADA ASH BULLNOSE	323-69-948	323-69-957	22	20	n/a	1680	n/a
2"x2" MAYFAIR STRADA ASH BASKETWEAVE	323-69-951	323-69-960	41.13	10	9.68	450	435.6
1.25"x1.25" MAYFAIR STRADA ASH HEXAGON	323-69-963	n/a	38.73	10	9.68	450	435.6
MAYFAIR STRADA ASH PIAZZA	323-69-972	n/a	41.15	10	9.68	450	435.6
24"x48" MAYFAIR ZEBRINO	323-69-920	n/a	95.124	2	15.5	48	372
16"x32" MAYFAIR ZEBRINO	323-65-517	323-65-520	71.444	4	13.78	152	523.64
12"x24" MAYFAIR ZEBRINO	323-69-946	323-69-955	70.28	8	15.5	224	434
3"x24" MAYFAIR ZEBRINO BULLNOSE	323-69-976	323-69-979	33.15	15	n/a	840	n/a
4"x12" MAYFAIR ZEBRINO	323-60-507	n/a	43.59	30	9.684	1350	435.78
3"x12" MAYFAIR ZEBRINO BULLNOSE	323-69-949	323-69-958	22	20	n/a	1680	n/a
2"x2" MAYFAIR ZEBRINO BASKETWEAVE	323-69-952	323-69-961	41.13	10	9.68	450	435.6
1.25"x1.25" MAYFAIR ZEBRINO HEXAGON	323-69-964	n/a	38.73	10	9.68	450	435.6
MAYFAIR ZEBRINO PIAZZA	323-69-973	n/a	41.15	10	9.68	450	435.6
24"x48" MAYFAIR SUAVE BIANCO	323-69-921	n/a	95.458	2	15.5	48	372
16"x32" MAYFAIR SUAVE BIANCO	323-65-518	323-65-521	71.444	4	13.78	152	523.64
12"x24" MAYFAIR SUAVE BIANCO	323-69-947	323-69-956	70.28	8	15.5	224	434
3"x24" MAYFAIR SUAVE BIANCO BULLNOSE	323-69-977	323-69-980	33.15	15	n/a	840	n/a
4"x12" MAYFAIR SUAVE BIANCO	323-60-508	n/a	43.59	30	9.684	1350	435.78
3"x12" MAYFAIR SUAVE BIANCO BULLNOSE	323-69-950	323-69-959	22	20	n/a	1680	n/a
2"x2" MAYFAIR SUAVE BIANCO BASKETWEAVE	323-69-953	323-69-962	41.13	10	9.68	450	435.6
1.25"x1.25" MAYFAIR SUAVE BIANCO HEXAGON	323-69-965	n/a	39.42	10	9.68	450	435.6
MAYFAIR SUAVE BIANCO PIAZZA	323-69-974	n/a	41.15	10	9.68	450	435.6
2"x2" MAYFAIR CALACATTA BASKETWEAVE	n/a	323-69-357	42.04	10	9.68	450	435.6
1.25"x1.25" MAYFAIR CALACATTA HEXAGON	323-69-922	n/a	38.73	10	9.68	450	435.6
2"x2" MAYFAIR STATUARIO BASKETWEAVE	n/a	323-69-358	41.57	10	9.68	450	435.6
1.25"x1.25" MAYFAIR STATUARIO HEXAGON	323-69-923	n/a	38.95	10	9.68	450	435.6
2"x2" MAYFAIR VOLAKAS BASKETWEAVE	n/a	323-69-359	41.57	10	9.68	450	435.6
1.25"x1.25" MAYFAIR VOLAKAS HEXAGON	323-69-924	n/a	39.84	10	9.68	450	435.6

General Specifications - Polished

DESCRIPTION	METHOD	UNIT	4"x12"	12"x24"	16"x32"	24"x48"
ACTUAL SIZE		mm in	100 x 300 mm 3.94 x 11.8 in	300 x 600 mm 11.8 x 23.6 in	400 x 800 mm 15.68 x 31.49 in	600 x 1200 mm 23.6 x 47.25 in
THICKNESS		mm - in	9.8 mm - 3/8"	9.8 mm - 3/8"	11.5 mm - 7/16"	12.5 mm - 1/2"
WATER ABSORPTION	ASTM C373 / EN ISO 10545-3	(%)	≤ 0.5	≤ 0.5	≤ 0.5	≤ 0.5
ABRASION RESISTANCE	ASTM C1027 / EN ISO 10545-7	(PEI)	Class 4	Class 4	Class 4	Class 4
SCRATCH HARDNESS		(Mohs)	5	5	5	5
BREAKING STRENGTH	EN ISO 10545-4	(lbf)	≥ 500	≥ 500	≥ 500	≥ 500
STAIN RESISTANCE	EN ISO 10545-14		Class 5	Class 5	Class 5	Class 5
CHEMICAL RESISTANCE	EN ISO 10545-13	(GL)	Class A - Res.	Class A - Res.	Class A - Res.	Class A - Res.
FROST RESISTANCE	EN ISO 10545-12		Resistant	Resistant	Resistant	Resistant
STATIC COF (WET)	ASTM C-1028	(μ)	≥ 0.40	≥ 0.40	≥ 0.40	≥ 0.40
STATIC COF (DRY)	ASTM C-1028	(μ)	≥ 0.60	≥ 0.60	≥ 0.60	≥ 0.60
DCOF (WET)	ANSI B101.3		< 0.42	< 0.42	< 0.42	< 0.42
SHADE VARIATION			V2	V2	V2	V2

General Specifications - Matte

DESCRIPTION	METHOD	UNIT	12"x24"	16"x32"
ACTUAL SIZE		mm in	300 x 600 mm 11.8 x 23.6 in	400 x 800 mm 15.68 x 31.49 in
THICKNESS		mm - in	9.8 mm - 3/8"	11.5 mm - 7/16"
WATER ABSORPTION	ASTM C373 / EN ISO 10545-3	(%)	≤ 0.5	≤ 0.5
ABRASION RESISTANCE	ASTM C1027 / EN ISO 10545-7	(PEI)	Class 4	Class 4
SCRATCH HARDNESS		(Mohs)	6	6
BREAKING STRENGTH	EN ISO 10545-4	(lbf)	≥ 450	≥ 450
STAIN RESISTANCE	EN ISO 10545-14		Class 5	Class 5
CHEMICAL RESISTANCE	EN ISO 10545-13	(GL)	Class A - Res.	Class A - Res.
FROST RESISTANCE	EN ISO 10545-12		Resistant	Resistant
STATIC COF (WET)	ASTM C-1028	(μ)	≥ 0.50	≥ 0.50
STATIC COF (DRY)	ASTM C-1028	(μ)	≥ 0.70	≥ 0.70
DCOF (WET)	ANSI B101.3		< 0.42	< 0.42
SHADE VARIATION			V2	V2

General Specifications - Polished Mosaics

DESCRIPTION	METHOD	UNIT	PIAZZA	1.25"x1.25" HEX.	2"x2" BW.
ACTUAL SIZE		mm in	300 x 300 mm 11.8 x 11.8 in	295 x 305 mm 11.6 x 12 in	300 x 300 mm 11.8 x 11.8 in
THICKNESS		mm - in	9.8 mm - 3/8"	9.8 mm - 3/8"	9.8 mm - 3/8"
WATER ABSORPTION	ASTM C373 / EN ISO 10545-3	(%)	≤ 0.5	≤ 0.5	≤ 0.5
ABRASION RESISTANCE	ASTM C1027 / EN ISO 10545-7	(PEI)	Class 4	Class 4	Class 4
SCRATCH HARDNESS		(Mohs)	5	5	5
BREAKING STRENGTH	EN ISO 10545-4	(lbf)	≥ 500	≥ 500	≥ 500
STAIN RESISTANCE	EN IS 10545-14		Class 5	Class 5	Class 5
CHEMICAL RESISTANCE	EN ISO 10545-13	(GL)	Class A - Res.	Class A - Res.	Class A - Res.
FROST RESISTANCE	EN ISO 10545-12		Resistant	Resistant	Resistant
STATIC COF (WET)	ASTM C-1028	(μ)	≥ 0.40	≥ 0.40	≥ 0.40
STATIC COF (DRY)	ASTM C-1028	(μ)	≥ 0.60	≥ 0.60	≥ 0.60
DCOF (WET)	ANSI B101.3		< 0.42	< 0.42	< 0.42
SHADE VARIATION			V2	V2	V2

General Specifications - Matte Mosaics

DESCRIPTION	METHOD	UNIT	2"x2" BW.
ACTUAL SIZE		mm - in	300 x 300 mm - 11.8 x 11.8 in
THICKNESS		mm - in	9.8 mm - 3/8"
WATER ABSORPTION	ASTM C373 / EN ISO 10545-3	(%)	≤ 0.5
ABRASION RESISTANCE	ASTM C1027 / EN ISO 10545-7	(PEI)	Class 4
SCRATCH HARDNESS		(Mohs)	6
BREAKING STRENGTH	EN ISO 10545-4	(lbf)	≥ 450
STAIN RESISTANCE	EN ISO 10545-14		Class 5
CHEMICAL RESISTANCE	EN ISO 10545-13	(GL)	Class A - Res.
FROST RESISTANCE	EN ISO 10545-12		Resistant
STATIC COF (WET)	ASTM C-1028	(μ)	≥ 0.50
STATIC COF (DRY)	ASTM C-1028	(μ)	≥ 0.70
DCOF (WET)	ANSI B101.3		< 0.42
SHADE VARIATION			V2




TILE + STONE
SOURCE

Know Your Tile

Tile + Stone Source

#105, 6204 6A St SE
Calgary, AB T2H 2B7
403.252.8868

15304 111 Ave NW
Edmonton, AB T5M 4C8
780.756.8453

www.tilestonesource.com